

Vježba 17: CSS model okvira, tekst, ikone

Sara Dizdarević, Matija Čopić 3.B

PRIPREMA ZA VJEŽBU

1. Što je font? Kako se fontovi mogu podijeliti? Po čemu se mogu razlikovati?

Font je oblik, stil i veličina slova. Dije se na obitelj fontova, a mogu se razlikovati po visini i širini slova, nakošenosti, debljini, izgledu samih slova (zaobljeni vrhovi, "ravni" vrhovi...)

2. Što znate o "obiteljima" fontova? Navedite neke.

Obitelji fontova su skupine fontova sličnih obilježja na primjer: Serif, Sans-serif, Monospace, Cursive, Fantasy.

IZVOĐENJE VJEŽBE

- 1.

Exercise: Sara Dizdarević, Matija Čopić

Set the width of the <div> element to "200px".

```
<style>


#### Exercise: Sara Dizdarević, Matija Čopić



Add a 2px solid red border to the <div> element.



```
<style>
div {
 width: 200px;
 border: 2px solid red;
}
</style>

<body>

<div>
Lorem ipsum dolor sit amet,
consectetur adipiscing elit,
sed do eiusmod tempor incididunt
ut labore et dolore magna aliqua.
</div>

</body>
```


```

Exercise: Sara Dizdarević, Matija Ćopić

Add 25 pixels space between the <div> element's border and its content.

```
<style>
div {
  width: 200px;
  border: 2px solid red;
  padding: 25px;
}
</style>

<body>

<div>
Lorem ipsum dolor sit amet,
consectetur adipiscing elit,
sed do eiusmod tempor incididunt
ut labore et dolore magna aliqua.
</div>

</body>
```

Exercise: Sara Dizdarević, Matija Ćopić

Add a 25 pixels space outside, to the left of the <div> element.

```
<style>
div {
  width: 200px;
  border: 2px solid red;
  padding: 25px;
  margin-left: 25px;
}
</style>

<body>

<div>
Lorem ipsum dolor sit amet,
consectetur adipiscing elit,
sed do eiusmod tempor incididunt
ut labore et dolore magna aliqua.
</div>

</body>
```

2.

Exercise: Sara Dizdarević, Matija Čopić

Set a solid, 5px *outline* border for the <div> element.

```
<style>
div {
  outline-style: solid;
  outline-width: 5px;
}
</style>

<body>

<div>
Lorem ipsum dolor sit amet,
consectetur adipiscing elit,
sed do eiusmod tempor incididunt
ut labore et dolore magna aliqua.
</div>

</body>
```

Exercise: Sara Dizdarević, Matija Čopić

Set the color of the outline border to red.

```
<style>
div {
  outline-style: solid;
  outline-width: 5px;
  outline-color: red;
}
</style>

<body>

<div>
Lorem ipsum dolor sit amet,
consectetur adipiscing elit,
sed do eiusmod tempor incididunt
ut labore et dolore magna aliqua.
</div>

</body>
```

Exercise: Sara Dizdarević, Matija Čopić

Use the outline shorthand property to set a "4px", "dotted", "red" outline border for the <div> element.

```
<style>
div {
  outline: 4px dotted red;
}
</style>

<body>

<div>
Lorem ipsum dolor sit amet,
consectetur adipiscing elit,
sed do eiusmod tempor incididunt
ut labore et dolore magna aliqua.
</div>

</body>
```

3.

Exercise: Sara Dizdarević, Matija Čopić

Change the text color of all <p> elements to "red".

```
<style>
p {
  color: red;
}
</style>

<body>
  <h1>This is a heading</h1>
  <p>This is a paragraph</p>
  <p>This is a paragraph</p>
</body>
```

Exercise: Sara Dizdarević, Matija Čopić

Center align the <p> elements.

```
<style>
p {
  text-align: center;
}
</style>

<body>
  <h1>This is a heading</h1>
  <p>This is a paragraph</p>
  <p>This is a paragraph</p>
</body>
```

Exercise: Sara Dizdarević, Matija Ćopić

Remove the underline from the link.

```
<style>
a {
  text-decoration: none;
}
</style>

<body>
  <h1>This is a heading</h1>
  <p>This is a paragraph</p>
  <a href="http://w3schools.com">This is a link</a>
</body>
```

Exercise: Sara Dizdarević, Matija Ćopić

Style text in <h1> to uppercase letters, and text in <p> to capitalized letters.

```
<style>
h1 {
  text-transform: uppercase;
}
p {
  text-transform: capitalize;
}
</style>

<body>
  <h1>This is a heading</h1>
  <p>This is a paragraph</p>
</body>
```

Exercise: Sara Dizdarević, Matija Ćopić

Indent the first line of the <p> element with 20px.

```
<style>
p {
  text-indent: 20px;
}
</style>

<p>
Lorem ipsum dolor sit amet,
consectetur adipiscing elit,
sed do eiusmod tempor incididunt
ut labore et dolore magna aliqua.
</p>
```

4.

Exercise: Sara Dizdarević, Matija Čopić

Set the font for <h1> to "Verdana".

```
<style>
h1 {
  font-family: Verdana;
}
</style>

<body>
  <h1>This is a heading</h1>
  <p>This is a paragraph</p>
</body>
```

Exercise: Sara Dizdarević, Matija Čopić

Set the style of <h1> to "italic" text.

```
<style>
h1 {
  font-style: italic;
}
</style>

<body>
  <h1>This is a heading</h1>
  <p>This is a paragraph</p>
</body>
```

Exercise: Sara Dizdarević, Matija Čopić

Set the font size of <h1> to 50px.

```
<style>
h1 {
  font-size: 50px;
}
</style>

<body>
  <h1>This is a heading</h1>
  <p>This is a paragraph</p>
</body>
```

Exercise: Sara Dizdarević, Matija Ćopić

Set the style of <p> elements as "bold" text.

```
<style>
p {
  font-weight: bold;
}
</style>

<body>
  <h1>This is a heading</h1>
  <p>This is a paragraph</p>
  <p>This is a paragraph</p>
</body>
```

Exercise: Sara Dizdarević, Matija Ćopić

Use the correct font- property to style the <p> elements as "small-caps".

```
<style>
p {
  font-variant: small-caps;
}
</style>

<body>
  <h1>This is a heading</h1>
  <p>This is a paragraph</p>
  <p>This is a paragraph</p>
</body>
```